

LAVINA

ELITE

S E R I E S

NEW!

introducing the new
ELITE VACUUMS



V25EU



V20EU



PRE-SEPARATOR

Improvements with big impact.

Additional models coming soon.

LAVINA

ELITE S E R I E S

NEW!



- ✓ 3-stage dust collection (cyclone, conical filter and Hepa).
- ✓ New filter chamber design with smaller dimensions but more space for dust.
- ✓ Improved conical filter made of the best filter material in the industry (thermally bonded PTFE membrane with ALU coating for excellent dust release; hydrophobic; antistatic); new seals; additional 3rd valve for dust release before and after filter cleaning without stopping the vacuum.
- ✓ Easy access to the HEPA filter.
- ✓ Motors have separate valves and work independently from each other, so vacuum continues to work even if one motor is down.
- ✓ Completely metal construction with innovative design, smaller and lighter than the X Series for easier transportation.
- ✓ Option to attach 6.5" air duct.
- ✓ New, easier to mount Longopac attachment.
- ✓ Adjustable hood clamps.

LAVINA

ELITE

S E R I E S

NEW!



MODEL	V25EU	V20EU
Motor	3 bypass motors	2 bypass motors
Voltage (50/60 hz)	1 phase, 230 V	1 phase, 230 V
Amperage	15 Amp	13 Amp
Motor Power	3.3 kW	2.4 kW
Main Filter	Conical Filter	Conical Filter
Filter Surface	4 m ²	3 m ²
Filter Cleaning	Manual	Manual
Hepa Surface	2 m ²	2 m ²
Airflow (max)	308.1 cfm 523 m ³ /h	210 cfm 357 m ³ /h
Vacuum (max)	97.8 water lift 0.24 bar	100.4 water lift 0.25 bar
Longopac	yes	yes
Main Vacuum Hose	63mm x 10m	50 mm x 7.5 m
Hose for Wand	50mm x 6.6m	n/a
Dimensions	93x59x160 cm	83x59x139 cm
Weight	95 kg	80 kg

LAVINA

ELITE

S E R I E S

NEW!

LAVINA ELITE PRE-SEPARATOR **PSE**

WORKS BETWEEN THE GRINDER AND THE VACUUM TO CATCH 95% OF THE DUST BEFORE IT REACHES THE VACUUM. A MUST-HAVE FOR HEAVY GRINDING JOBS.



- ✓ Extends vacuum filter life and reduces the need to clean and replace it.
- ✓ Large dust chamber allows for less frequent cleaning.
- ✓ Can be used with all Lavina vacuums.
- ✓ New body design with smaller dimensions & lighter construction for easier transportation.
- ✓ New, easier to mount Longopac attachment.
- ✓ Easy maintenance.

Technical Data

MODEL	PSE
Longopac	yes
Main Vacuum Hose	75 mm x 2 m
Inlet	Camlock 3" / 75mm
Outlet	Camlock 3" / 75mm
Dimensions	65x52x143 cm
Weight	55 kg

Accessories for PSE

Camlock Connections:

1. 3"F to 2.5"M
2. 3"F to 2"M
3. 3"M to 2.5"F
4. 3"M to 2"F